

# The ANSER Decoy Assembly Instructions

## Headless Decoys

**Step 1)** Slide push nut into the slot on the T handle with "fins" of nut pointing away from stake hole.



**Step 2)** Insert stake into hole in T handle, place on firm surface and tap with a rubber mallet until seated.



**Step 3)** Insert stake into top grommet hole in decoy body bag about 4 inches.



**Step 4)** Place back support into body bag with the curve facing toward the belly of the decoy, then insert the stake into the large elongated hole from the right side of support. Add rubber stopper.



**Step 5)** Place stake in channel in back support and twist clockwise until it clicks in place. Thread stake through bottom grommet hole. **See Caution Statement on back of instructions.**



**Step 6)** Slide rubber stopper up stake until there is a finger's width of space between the handle and the body.



## Feeder Decoys



**Step 1)** Pull back on head retaining clip and slide head onto dovetail joint from the top.



**Step 2)** Release clip to hold head in place.

## Feeder Decoys (continued)



**Step 3)** Place a strip of loop side of “hook and loop” fastener centered just behind the tubing in the top panel of the collar.



**Step 4)** Place a strip of **hook** side of “hook and loop” fastener around the rim of the base of the top of the feeder head.



**Step 5)** Press “hook and loop” fastener together and continue assembly as with headless decoy instructions, beginning at Step 3.

## Sentry Decoys

**Step 1)** Place head upside down on a piece of cardboard from the shipping box. Put stake into hole at base of head and tap with a rubber mallet. **Note:** *After stake is advanced one and a half inches there will be another hole inside for the stake to guide into. You may need to wiggle the stake a bit to find the hole before tapping the rest of the distance. When inserted fully, the stake should be into the head three inches.*

**Step 2)** Assemble the rest of the decoy starting with step 3 for headless decoy assembly.

**CAUTION:** Be careful when putting any type of stress on the body bags. The grommets are placed loosely through the body and the inner hole can stretch resulting in loss of the grommet. This is especially true when collapsing or engaging the back support.

1) Place the rubber stoppers into a small amount of dishwashing detergent and water to help them slide up the stakes more easily.

2) When tapping stakes into T handles and Sentry heads, listen for a change in pitch to let you know when the stake is seated properly.

3) A small mark at 3 inches on the stake when seating Sentry heads is helpful to allow you to know when it is seated fully.



